

LeMar[®] TOWERS CATWALKS SPECIALTY STRUCTURES



BUILDING BETTER TOGETHER! TAKING IT TO THE NEXT LEVEL.

BUILDING YOUR POTENTIAL

When months of your customers' hard work has gone into producing a grain crop, you carefully handle it using one of the best brands available for grain facility structures: LeMar®. You know LeMar products for their strength and durability in towers, catwalks and specialty structures. But did you know that LeMar can help you increase your facility's potential through custom-designed solutions to accommodate site-specific conditions, such as wind, seismic, and snow loads, for locations across the United States and around the world?

LeMar's unmistakable quality is a guarantee of trusted reliability you can count on day in and day out. LeMar structures are built to last year after year. That is the guarantee LeMar was founded on back in 1982.

Today, LeMar resellers continue to uphold those standards by providing superior service and support customers have come to expect from LeMar. We're taking it to the next level, why don't you join us?

Catwalk Options Include:

- Mid-span walkarounds
- Service access platforms
- 24 inch (610 mm) galvanized grip strut walkway with toe board
- Full width expanded metal grating walkway with toe board
- Fiberglass or bar grating styles
- Custom openings
- Mitered and beveled ends

Precisely Engineered Catwalks

LeMar® Catwalks are second to none with the ability to meet all of the needs and wants of resellers and customers. Whether that is done through LeMar's robust standard line or through custom fabrication, your job-specific requirements can be met. LeMar's experienced in-house design team uses precision engineering to build quality products to your specific span and length, and add the optimal options that fit your operation. LeMar builds potential; you reap the rewards. Experience the durability, quality and labor-saving assembly only LeMar Structures provide.

The maximum standard span is 190 feet (57.9 meters). Custom LeMar spans can be built to any specifications you need. Finishes available: hot-dip galvanized steel, powder-coat paint, industrial enamel paint or duplex (galvanized plus powder-coat paint).




Mid-Span Walkaround Truss



Handrail Truss


Handrail Trusses

- Standard widths of 30- to 108-inches (762- to 2743-mm)
- Maximum standard span of 125 feet (38 m)
- Lengths built to order
- Standard 5-, 10-, 15- or 20-foot (1.5-, 3-, 4.6- or 6.1-m) sections
- Welded side construction, bolt in bottom
- Custom spans to your specs




Walk-Through Trusses

- Standard widths from 72- to 120-inches (1829- to 3048-mm)
- Maximum standard span of 190 feet (57.9 m)
- Lengths built to order
- Standard 20- and 40-foot (6.1- and 12.2-m) sections
- Welded side construction, bolt in bottom and top
- Custom spans to your specs



Custom Trusses

- Built to your facility's unique needs
- Spans to your order
- Widths to your specs
- Openings to your request



Walk-Through Truss



Easy-to-Assemble Bucket Elevator Support Towers

When it comes to bucket elevator support towers, LeMar® stands out with their top quality and meticulous attention to detail.

Precision Engineering for Superior Strength

A prime example of LeMar's commitment to detail is their revolutionary, patented Slot and Tab System design for tower connections. This innovative system ensures easy, consistent assembly and precision fabrication, leading to exceptionally strong connections.

Towers Built to Your Specifications

LeMar builds towers of all sizes, from simple configurations to massive structures over 220 feet (67 m) tall and as large as 24 x 40 feet (7.3 x 12.2 m). You can select from a wide


range of standard sizes and configurations, or customize a tower designed specifically to your unique needs.

Whether you need a basic, dependable tower or an impressive four-, six-, or eight-column system, LeMar has you covered. LeMar towers are available in various standard configurations - from 8 to 24 feet (2.4 to 7.3 m). LeMar also excels at producing custom products of any size, built precisely to your specifications.


All are available with a choice of hot-dip galvanized, powder-coated or painted industrial enamel finishes. You can build a custom-fabricated bucket elevator support tower and stairway to order with a range of options that let you customize your tower to meet your facility's specific needs.

Choose from a range of options such as:

- Access bracing
- Catwalk support beams
- Internal and cantilevered platforms
- Ladder & cage systems
- Wraparound stairs
- Switchback stairs
- Custom fabricated super structures at base



RIGHTFIT DESIGN™ Support Towers



Economical LeMar RIGHTFIT DESIGN™

Support Towers offer staged load capacities and the top quality you expect for on-farm and light commercial use. RIGHTFIT DESIGN Structures also utilize the LeMar Slot and Tab Connection technology that is unmatched for its consistency and strength in the connection joint.

Robust Catwalk Support Towers

LeMar® Catwalk Support Towers are built tough and can be custom engineered to your exact specifications, no matter the height, wind speed, or seismic zone. For added versatility, LeMar can include access bracing and the ability to incorporate conveyors and spouting. All LeMar Towers are built with a feature unique to LeMar: the company's patented Slot and Tab System for labor-saving assembly and exceptional connection strength.

Choose from a range of standard sizes and configurations. LeMar also excels at creating custom products, big or small, built precisely to your specific needs.

Towers are available with a variety of durable finishes, including hot-dip galvanized, powder-coated, or painted industrial enamel.

Free-Standing, Four-Legged Catwalk Support Towers


- Standard sizes from 4 to 24 feet (1.2 to 7.3 m)
- Custom sizes fabricated to order

Two-Legged Braced Catwalk Support Towers

- Custom engineered to sit on bin foundation
- Adjustable sidewall support bracket fastens to bin stiffener

Smaller Guyed Catwalk Support Towers

- Available upon request
- Standard sizes range from 16 inches (40 cm) to 8 feet (2.4 m)
- Custom sizes built to your exact specifications



A FULL LINE OF LeMar[®] SOLUTIONS



TOWERS

- Wide range of sizes and custom configurations
- Bucket elevator support tower options: access bracing, catwalk support beams, platforms, ladder & cage systems, wraparound stairs, switchback stairs
- Choose from multiple finishes available



CATWALKS

- Handrail truss
- Walk-through truss
- Custom trusses
- Finishes available: hot-dip galvanized steel, powder-coat paint, industrial enamel paint and duplex (galvanized plus powder-coat paint)



TEMPORARY STORAGE

- Circular or oval bunker walls
- Center air & fill systems
- Vane axial & centrifugal aeration fans
- Perforated air ducts
- Premium bunker covers



SPECIALTY STRUCTURES

- Custom fabricated superstructures
- Catwalk support towers engineered for: height, wind, speed or seismic zone
- Freestanding or guyed
- Options: access bracing, conveyors, spouting and other custom configurations

For decades, grain facilities of all types have counted on LeMar for reliable, quality towers, catwalks, specialty structures and temporary storage. That focus on providing dependability has led to product advances and expansion through the years, resulting in the full line of grain facility structure solutions that are available today.

Whether you're a farmer interested in a tower or catwalk system or a commercial operator in need of temporary grain storage equipment, you'll find the quality you've come to expect and the trusted integrity you deserve.



2070 NE 60th AVENUE
DES MOINES, IA 50313 U.S.A.

sales@lemarindustries.com

+1 515-266-7264

LE-1000/202508